


**AMENDMENTS TO THE CLAIMS**

Amend the claimed as follows:

Claims 1-89. (Canceled)

90. (new) A compound having the following formula:



(1)

wherein:

Ar is a 1-(sulfonyl)-1H-indol-2-yl group;

the group -OR<sup>0</sup> is independently:

- (a) -OH;
- (b) an ether group; or
- (c) an acyloxy group;

the bond marked α is independently:

- (a) a single bond; or
- (b) a double bond;

the bond marked β is independently:

- (a) a single bond; or
- (b) a double bond;


each of R<sup>2</sup>, R<sup>3</sup>, R<sup>5</sup>, and R<sup>6</sup>, is independently a ring substituent and is:

- (a) H;
- (b) a monovalent monodentate substituent; or:

(c) a ring substituent which, together with an adjacent ring substituent, and together with the ring atoms to which these ring substituents are attached, form a fused ring;


and pharmaceutically acceptable salts, esters, amides, solvates, hydrates, and protected forms thereof.

91. (new) A compound according to claim 90, wherein  $\alpha$  is independently a double bond and  $\beta$  is independently a double bond, and the compound has the following formula:




(2)

92. (new) A compound according to claim 90, wherein  $\alpha$  is independently a single bond and  $\beta$  is independently a single bond and the compound has the following formula:



(3)

93. (new) A compound according to claim 90, wherein  $\alpha$  is independently a single bond and  $\beta$  is independently a double bond, and the compound has the following formula:



(4)

94. (new) A compound according to claim 90, wherein said monovalent monodentate substituent is selected from:

hydroxy (-OH);

halo;

cyano (-CN);

carboxy (-COOH);

azido;

ester;

amino, including:

C<sub>1-7</sub>alkyl-amino;

amino-C<sub>1-7</sub>alkyl-amino;

C<sub>1-7</sub>alkyl, including:

halo-C<sub>1-7</sub>alkyl;

amino-C<sub>1-7</sub>alkyl;

carboxy-C<sub>1-7</sub>alkyl;

hydroxy-C<sub>1-7</sub>alkyl;

C<sub>5-20</sub>aryl-C<sub>1-7</sub>alkyl;

ether, including:

C<sub>1-7</sub>alkoxy;

halo-C<sub>1-7</sub>alkoxy;

amino-C<sub>1-7</sub>alkoxy;

carboxy-C<sub>1-7</sub>alkoxy;

hydroxy-C<sub>1-7</sub>alkoxy;

C<sub>5-20</sub>aryl-C<sub>1-7</sub>alkoxy;

acyl, including:

C<sub>1-7</sub>alkyl-acyl;

halo-C<sub>1-7</sub>alkyl-acyl;

amino-C<sub>1-7</sub>alkyl-acyl;

carboxy-C<sub>1-7</sub>alkyl-acyl;

hydroxy-C<sub>1-7</sub>alkyl-acyl;

C<sub>5-20</sub>aryl-C<sub>1-7</sub>alkyl-acyl;

C<sub>5-20</sub>aryl-acyl;

C<sub>5-20</sub>aryl;

thiol (-SH); and,

thioether.

95. (new) A compound according to claim 90, wherein said monovalent monodentate substituent is selected from:

-OH;

-F, -Cl, -Br, -I;

-CN;

-COOH;

-N<sub>3</sub>;

-COOMe, -COOEt, -COOtBu, -COOPh, -COOCH<sub>2</sub>Ph;

-NH<sub>2</sub>, -NHMe, -NH<sub>2</sub>Et, -NMe<sub>2</sub>, -NEt<sub>2</sub>;

piperidino, morpholino, piperazino, N-methyl-piperazino;

-NH(CH<sub>2</sub>)<sub>w</sub>-NH<sub>2</sub>, -NH(CH<sub>2</sub>)<sub>w</sub>-NHMe, -NH(CH<sub>2</sub>)<sub>w</sub>-NMe<sub>2</sub>, -NH(CH<sub>2</sub>)<sub>w</sub>-NEt<sub>2</sub>;

-Me, -Et, -nPr, -iPr, -nBu, -iBu, -sBu, -tBu;

-CH<sub>2</sub>F, -CH<sub>2</sub>Cl, -CF<sub>3</sub>, -CCl<sub>3</sub>, -CF<sub>2</sub>CF<sub>3</sub>, -CH<sub>2</sub>CF<sub>3</sub>, -C(CF<sub>3</sub>)<sub>3</sub>;

-(CH<sub>2</sub>)<sub>w</sub>-NH<sub>2</sub>, -(CH<sub>2</sub>)<sub>w</sub>-NHMe, -(CH<sub>2</sub>)<sub>w</sub>-NMe<sub>2</sub>, -(CH<sub>2</sub>)<sub>w</sub>-NEt<sub>2</sub>;

-(CH<sub>2</sub>)<sub>w</sub>-COOH;

-(CH<sub>2</sub>)<sub>w</sub>-OH;

-CH<sub>2</sub>Ph;

-OMe, -OEt, -OnPr, -OiPr, -OnBu, -OiBu, -OsBu, -OtBu;

-OCH<sub>2</sub>F, -OCH<sub>2</sub>Cl, -OCF<sub>3</sub>, -OCCl<sub>3</sub>, -OCF<sub>2</sub>CF<sub>3</sub>, -OCH<sub>2</sub>CF<sub>3</sub>, -OC(CF<sub>3</sub>)<sub>3</sub>;

-O(CH<sub>2</sub>)<sub>w</sub>-NH<sub>2</sub>, -O(CH<sub>2</sub>)<sub>w</sub>-NHMe, -O(CH<sub>2</sub>)<sub>w</sub>-NMe<sub>2</sub>, -O(CH<sub>2</sub>)<sub>w</sub>-NEt<sub>2</sub>;

-O(CH<sub>2</sub>)<sub>w</sub>-COOH;

-O(CH<sub>2</sub>)<sub>w</sub>-OH;

-OCH<sub>2</sub>Ph;

-C(=O)Me, -C(=O)Et, -C(=O)-nPr, -C(=O)-iPr, -C(=O)-nBu, -C(=O)-iBu,

-C(=O)-sBu, -C(=O)-tBu;

-C(=O)CH<sub>2</sub>F, -C(=O)CH<sub>2</sub>Cl, -C(=O)CF<sub>3</sub>, -C(=O)CCl<sub>3</sub>, -C(=O)CF<sub>2</sub>CF<sub>3</sub>,

-C(=O)CH<sub>2</sub>CF<sub>3</sub>, -C(=O)C(CF<sub>3</sub>)<sub>3</sub>;

-C(=O) (CH<sub>2</sub>)<sub>w</sub>-NH<sub>2</sub>, -C(=O) (CH<sub>2</sub>)<sub>w</sub>-NHMe, -C(=O) (CH<sub>2</sub>)<sub>w</sub>-NMe<sub>2</sub>,

-C(=O)(CH<sub>2</sub>)<sub>w</sub>-NEt<sub>2</sub>;

-C(=O) (CH<sub>2</sub>)<sub>w</sub>-COOH;

-C(=O) (CH<sub>2</sub>)<sub>w</sub>-OH;

-C(=O)CH<sub>2</sub>Ph;

-Ph;

-SH;

-SMe, -SEt, -SnPr, -S-iPr, -S-nBu, -S-iBu, -S-sBu, -S-tBu,

-S-CH<sub>2</sub>-Ph, -S-Ph;

a thioether group derived from cysteine, homocysteine, glutathione, or a peptide comprising the sequence -Cys-(X)<sub>y</sub>-Cys-, where X is an amino acid, and y is an integer from 1 to 6;

wherein w is an integer from 1 to 7.

96. (new) A compound according to claim 90, wherein each of R<sup>2</sup>, R<sup>3</sup>, R<sup>5</sup>, and R<sup>6</sup>, is independently a ring substituent and is:

(a) H; or:


(b) a monovalent monodentate substituent.

97. (new) A compound according to claim 91, wherein each of R<sup>2</sup>, R<sup>3</sup>, R<sup>5</sup>, and R<sup>6</sup>, is independently a ring substituent and is:

(a) H; or:


(b) a monovalent monodentate substituent.

98. (new) A compound according to claim 90, wherein R<sup>2</sup>, R<sup>3</sup>, R<sup>5</sup> and R<sup>6</sup> are -H:



(9)

99. (new) A compound according to claim 90, wherein  $R^2$ ,  $R^3$ ,  $R^5$  and  $R^6$  are -H;  
 $\alpha$  is a double bond; and  $\beta$  is a double bond:




(11)

100. (new) A compound according to claim 90, wherein

- (a)  $R^2$  and  $R^3$ , together with the ring atoms to which they are attached, form a fused ring; or
- (b)  $R^5$  and  $R^6$ , together with the ring atoms to which they are attached, form a fused ring; or
- (c) or both (a) and (b).

101. (new) A compound according to claim 99, wherein  $R^2$  and  $R^3$  form a fused benzene ring; and  $\beta$  is a double bond:




(14)

102. (new) A compound according to claim 101, wherein  $R^5$  and  $R^6$  do not also form a fused ring.




103. (new) A compound according to claim 99, wherein  $R^2$  and  $R^3$  form a fused benzene ring;  $\beta$  is a double bond; and  $R^5$  and  $R^6$  are -H:



(17)

104. (new) A compound according to claim 99, wherein  $R^2$  and  $R^3$  form a fused benzene ring;  $\beta$  is a double bond;  $R^5$  and  $R^6$  are -H; and  $\alpha$  is a double bond:



(18)

105. (new) A compound according to claim 90, wherein  $R^O$  is independently:

(a) -H;

(b)  $C_{1-7}$ alkyl,  $C_{3-20}$ heterocyclyl, or  $C_{5-20}$ aryl; and is optionally substituted;

or:

(c)  $C_{1-7}$ alkyl-acyl,  $C_{3-20}$ heterocyclyl-acyl, or  $C_{5-20}$ aryl-acyl; and is optionally

substituted.

106. (new) A compound according to claim 104, wherein  $R^O$  is optionally substituted with one more of the following groups:

hydroxy (-OH);

halo;

carboxy (-COOH);

amino; and,


$C_{5-20}$ aryl.

107. (new) A compound according to claim 90, wherein  $R^O$  is -H.

108. (new) A compound according to claim 91, wherein  $R^O$  is -H.

109. (new) A compound according to claim 99, wherein  $R^O$  is -H.

110. (new) A compound according to claim 90, wherein Ar is a group of the following formula:



wherein:


$R^{SO}$  is independently a sulfonyl substituent; and

each of  $R^{3N}$ ,  $R^{4N}$ ,  $R^{5N}$ ,  $R^{6N}$ , and  $R^{7N}$  is independently an indolyl substituent.

111. (new) A compound according to claim 110, wherein  $R^{SO}$  is  $C_{1-7}$ alkyl,  $C_{3-20}$ heterocyclyl, or  $C_{5-20}$ aryl; and is optionally substituted.

112. (new) A compound according to claim 110, wherein  $R^{SO}$  is  $C_{5-20}$ aryl; and is optionally substituted.


113. (new) A compound according to claim 99, wherein Ar is a group of the following formula:



wherein:

$R^{SO}$  is independently  $C_{5-20}$ aryl; and is optionally substituted; and  
each of  $R^{3N}$ ,  $R^{4N}$ ,  $R^{5N}$ ,  $R^{6N}$ , and  $R^{7N}$  is independently an indolyl substituent.


114. (new) A compound according to claim 104, wherein Ar is a group of the following formula:



wherein:

$\text{R}^{\text{SO}}$  is independently  $\text{C}_{5-20}\text{aryl}$ ; and is optionally substituted; and  
each of  $\text{R}^{3\text{N}}$ ,  $\text{R}^{4\text{N}}$ ,  $\text{R}^{5\text{N}}$ ,  $\text{R}^{6\text{N}}$ , and  $\text{R}^{7\text{N}}$  is independently an indolyl  
substituent.

115. (new) A compound according to claim 109, wherein Ar is a group of the following formula:



wherein:


$\text{R}^{\text{SO}}$  is independently  $\text{C}_{5-20}\text{aryl}$ ; and is optionally substituted; and  
each of  $\text{R}^{3\text{N}}$ ,  $\text{R}^{4\text{N}}$ ,  $\text{R}^{5\text{N}}$ ,  $\text{R}^{6\text{N}}$ , and  $\text{R}^{7\text{N}}$  is independently an indolyl  
substituent.

116. (new) A compound according to claim 110, wherein  $R^{SO}$  is phenyl or naphthyl; and is optionally substituted.

117. (new) A compound according to claim 110, wherein  $R^{SO}$  is naphthyl; and is optionally substituted.


118. (new) A compound according to claim 110, wherein  $R^{SO}$  is phenyl; and is optionally substituted.

119. (new) A compound according to claim 110, wherein  $R^{SO}$  is selected from:



wherein p is an integer from 0 to 5, and each  $R^P$  is a phenyl substituent;

and



wherein q is an integer from 0 to 3; r is an integer from 0 to 4; and each  $R^P$  is a naphthyl substituent.

120. (new) A compound according to claim 119, wherein each R<sup>P</sup> is independently selected from:

hydroxy (-OH);

halo;

cyano (-CN);

carboxy (-COOH);

azido;

ester;

amino, including:

amino-C<sub>1-7</sub>alkyl-amino;

C<sub>1-7</sub>alkyl, including:

halo-C<sub>1-7</sub>alkyl;

amino-C<sub>1-7</sub>alkyl;

carboxy-C<sub>1-7</sub>alkyl;

hydroxy-C<sub>1-7</sub>alkyl;

C<sub>5-20</sub>aryl-C<sub>1-7</sub>alkyl;

ether, including:

C<sub>1-7</sub>alkoxy;

halo-C<sub>1-7</sub>alkoxy;

amino-C<sub>1-7</sub>alkoxy;

carboxy-C<sub>1-7</sub>alkoxy;

hydroxy-C<sub>1-7</sub>alkoxy;

C<sub>5-20</sub>aryl-C<sub>1-7</sub>alkoxy;

acyl, including:

C<sub>1-7</sub>alkyl-acyl;

halo-C<sub>1-7</sub>alkyl-acyl;

amino-C<sub>1-7</sub>alkyl-acyl;

carboxy-C<sub>1-7</sub>alkyl-acyl;

hydroxy-C<sub>1-7</sub>alkyl-acyl;

C<sub>5-20</sub>aryl-C<sub>1-7</sub>alkyl-acyl;

C<sub>5-20</sub>aryl-acyl;

C<sub>5-20</sub>aryl.

121. (new) A compound according to claim 119, wherein each R<sup>P</sup> is independently selected from:

-OH;

-F, -Cl, -Br, -I;

-CN;

-COOH;

-N<sub>3</sub>;

-COOMe, -COOEt, -COOtBu, -COOPh, -COOCH<sub>2</sub>Ph;

-NH<sub>2</sub>, -NHMe, -NHEt, -NMe<sub>2</sub>, -NEt<sub>2</sub>;

piperidino, morpholino, piperazino, N-methyl-piperazino;

-NH(CH<sub>2</sub>)<sub>w</sub>-NH<sub>2</sub>, -NH(CH<sub>2</sub>)<sub>w</sub>-NHMe, -NH(CH<sub>2</sub>)<sub>w</sub>-NMe<sub>2</sub>, -NH(CH<sub>2</sub>)<sub>w</sub>-NEt<sub>2</sub>;

-Me, -Et, -nPr, -iPr, -nBu, -iBu, -sBu, -tBu;

-CH<sub>2</sub>F, -CH<sub>2</sub>Cl, -CF<sub>3</sub>, -CCl<sub>3</sub>, -CF<sub>2</sub>CF<sub>3</sub>, -CH<sub>2</sub>CF<sub>3</sub>, -C(CF<sub>3</sub>)<sub>3</sub>;

-(CH<sub>2</sub>)<sub>w</sub>-NH<sub>2</sub>, -(CH<sub>2</sub>)<sub>w</sub>-NHMe, -(CH<sub>2</sub>)<sub>w</sub>-NMe<sub>2</sub>, -(CH<sub>2</sub>)<sub>w</sub>-NEt<sub>2</sub>;

-(CH<sub>2</sub>)<sub>w</sub>-COOH;

-(CH<sub>2</sub>)<sub>w</sub>-OH;

-CH<sub>2</sub>Ph;

-OMe, -OEt, -OnPr, -OiPr, -OnBu, -OiBu, -OsBu, -OtBu;

-OCH<sub>2</sub>F, -OCH<sub>2</sub>Cl, -OCF<sub>3</sub>, -OCCl<sub>3</sub>, -OCF<sub>2</sub>CF<sub>3</sub>, -OCH<sub>2</sub>CF<sub>3</sub>, -OC(CF<sub>3</sub>)<sub>3</sub>;

-O(CH<sub>2</sub>)<sub>w</sub>-NH<sub>2</sub>, -O(CH<sub>2</sub>)<sub>w</sub>-NHMe, -O(CH<sub>2</sub>)<sub>w</sub>-NMe<sub>2</sub>, -O(CH<sub>2</sub>)<sub>w</sub>-NEt<sub>2</sub>;

-O(CH<sub>2</sub>)<sub>w</sub>-COOH;

-O(CH<sub>2</sub>)<sub>w</sub>-OH;

-OCH<sub>2</sub>Ph;

-C(=O)Me, -C(=O)Et, -C(=O)-nPr, -C(=O)-iPr, -C(=O)-nBu, -C(=O)-iBu,

-C(=O)-sBu, -C(=O)-tBu;

-C(=O)CH<sub>2</sub>F, -C(=O)CH<sub>2</sub>Cl, -C(=O)CF<sub>3</sub>, -C(=O)CCl<sub>3</sub>, -C(=O)CF<sub>2</sub>CF<sub>3</sub>,

-C(=O)CH<sub>2</sub>CF<sub>3</sub>, -C(=O)C(CF<sub>3</sub>)<sub>3</sub>;



STEVENS et al.

U.S. National Phase of PCT/GB2002/005842

$-\text{C}(=\text{O}) (\text{CH}_2)_w\text{-NH}_2$ ,  $-\text{C}(=\text{O}) (\text{CH}_2)_w\text{-NHMe}$ ,  $-\text{C}(=\text{O}) (\text{CH}_2)_w\text{-NMe}_2$ ,

$-\text{C}(=\text{O})(\text{CH}_2)_w\text{-NEt}_2$ ;

$-\text{C}(=\text{O}) (\text{CH}_2)_w\text{-COOH}$ ;

$-\text{C}(=\text{O}) (\text{CH}_2)_w\text{-OH}$ ;

$-\text{C}(=\text{O})\text{CH}_2\text{Ph}$ ;

$-\text{Ph}$ ;

wherein  $w$  is an integer from 1 to 7.

122. (new) A compound according to claim 119, wherein each  $\text{R}^{\text{P}}$  is independently selected from:  $-\text{F}$ ,  $-\text{Cl}$ ,  $-\text{Br}$ ,  $-\text{I}$ ,  $-\text{Me}$ ,  $-\text{Et}$ ,  $-\text{OMe}$ ,  $-\text{OEt}$ .

123. (new) A compound according to claim 119, wherein each  $\text{R}^{\text{P}}$  is independently selected from:  $-\text{F}$ ,  $-\text{Me}$ ,  $-\text{OMe}$ .

124. (new) A compound according to claim 120, wherein each of  $\text{R}^{3\text{N}}$ ,  $\text{R}^{4\text{N}}$ ,  $\text{R}^{5\text{N}}$ ,  $\text{R}^{6\text{N}}$ , and  $\text{R}^{7\text{N}}$  is independently  $-\text{H}$ , or as defined for  $\text{R}^{\text{P}}$ .

125. (new) A compound according to claim 120, wherein each of  $\text{R}^{3\text{N}}$ ,  $\text{R}^{4\text{N}}$ ,  $\text{R}^{5\text{N}}$ ,  $\text{R}^{6\text{N}}$ , and  $\text{R}^{7\text{N}}$  is independently selected from:

$-\text{H}$ ,  $-\text{F}$ ,  $-\text{Cl}$ ,  $-\text{Br}$ ,  $-\text{I}$ ,  $-\text{Me}$ ,  $-\text{Et}$ ,  $-\text{OMe}$ ,  $-\text{OEt}$ .


126. (new) A compound according to claim 120, wherein each of  $R^{3N}$ ,  $R^{4N}$ ,  $R^{6N}$ , and  $R^{7N}$  is -H.

127. (new) A compound selected from compounds having the following formulae and pharmaceutically acceptable salts, esters, amides, solvates, hydrates, and protected forms thereof:




wherein  $R^O$  is -H;

wherein Ar is a group of the following formula:




wherein:

$R^{SO}$  is selected from:



wherein p is an integer from 0 to 5, and each  $R^P$  is a phenyl substituent; and



wherein q is an integer from 0 to 3; r is an integer from 0 to 4; and each  $R^P$  is a naphthyl substituent;

and wherein:





each of  $R^{3N}$ ,  $R^{4N}$ ,  $R^{5N}$ ,  $R^{6N}$ , and  $R^{7N}$  is independently an indolyl substituent.





128. (new) A compound according to claim 127, wherein:





each  $R^P$  is independently selected from: -F, -Cl, -Br, -I, -Me, -Et, -OMe, -OEt; and





each of  $R^{3N}$ ,  $R^{4N}$ ,  $R^{5N}$ ,  $R^{6N}$ , and  $R^{7N}$  is independently selected from: -H, -F, -Cl, -Br, -I, -Me, -Et, -OMe, -OEt.

129. (new) A compound selected from the following compounds and pharmaceutically acceptable salts, esters, amides, solvates, hydrates, and protected forms thereof:









130. (new) A composition comprising a compound according to claim 90 and a pharmaceutically acceptable carrier or diluent.

131. (new) A method for the treatment of a proliferative condition comprising administering to a subject suffering from said condition a therapeutically-effective amount of a compound according to claim 90.

132. (new) A method for the treatment of cancer comprising administering to a subject suffering from said cancer a therapeutically-effective amount of a compound according to claim 90.

133. (new) A method for the treatment of colon cancer or renal cancer comprising administering to a subject suffering from said cancer a therapeutically-effective amount of a compound according to claim 90.

134. (new) A method for the treatment of a condition mediated by thioredoxin/thioredoxin reductase comprising administering to a subject suffering from said condition a therapeutically-effective amount of a compound according to claim 90.



135. (new) A method of inhibiting thioredoxin/thioredoxin reductase in a cell, *in vitro* or *in vivo*, comprising contacting said cell with an effective amount of according to claim 90.

136. (new) A method of regulating cell proliferation, *in vitro* or *in vivo*, comprising contacting a cell with an effective amount of a compound according to claim 90.

137. (new) A method of (a) inhibiting cell proliferation; (b) inhibiting cell cycle progression; (c) promoting apoptosis; or (d) a combination of one or more of these, *in vitro* or *in vivo*, comprising contacting a cell with an effective amount of a compound according to claim 90.